


  
ASTONDOA



**Ax8**  
Brochure



E x t e r i o r   D e s i g n











































































I n t e r i o r   D e s i g n





















































































































































L a y o u t   &   T e c h n i c a l   S p e c i f i c a t i o n





Ax8 | Technical Specification.

Dimensiones principales		Main Sizes	
Eslora total (L.O.A.)	Length overall (L.O.A.)	24.46 m	
Eslora de casco (L.H.)	Hull Length (L.H.)	23.49 m	
Manga máxima:	Maximum beam:	6.22 m	
Calado máximo:	Maximum draft:	1.09 m	
Peso plena carga	Displacement (full load):	68,5 ton.	
Motorización		Engines	
Estandar	Standard	Volvo Penta IPS 1350	
Performance		Performance	
Velocidad crucero	Cruising speed	15 knots	
Velocidad máxima	Maximum speed	23,5 knots	
Características		Characteristics	
Cabinas	Cabins	4+2	
Pasajeros:	Accommodation:	6+3	
Construcción:	Building material:	GRP	
Certificado por:	Certified by:	RINA	
Autonomía:	Range:	420 mi.	
Tánques		Tanks	
Capacidad combustible	Fuel capacity	7000 lts	
Capacidad agua / aguas negras	Water capacity / Waste	1500 lts / 600 lts	





# estándar





# OTOCIONA



Ax8

